


SKALA 1:  $\frac{100}{500}$

# PROFIL PODŁUŻNY KANALIZACJI SANIT. POTRYTY

SKALA 1:  $\frac{100}{500}$



|               |  |           |        |        |           |        |            |        |            |        |           |        |         |        |
|---------------|--|-----------|--------|--------|-----------|--------|------------|--------|------------|--------|-----------|--------|---------|--------|
| RZĘDNA TERENU |  | 103.90    | 103.60 | 103.50 | 102.90    | 103.60 | 106.60     | 106.80 | 104.70     | 104.30 | 108.60    | 108.60 | 109.00  | 109.00 |
| RZ. DNA RURY  |  | 100.00    | 101.77 | 102.00 | 101.50    | 101.19 | 105.20     | 104.30 | 103.30     | 101.80 | 107.72    | 107.67 | 107.53  | 107.00 |
| GŁĘBOKOŚĆ     |  | 3.90      |        | 1.50   | 1.40      | 2.41   | 1.40       | 2.50   | 1.40       | 2.50   | 0.88      | 0.93   | 1.47    | 2.00   |
| ODLEGŁOŚĆ     |  | L = 25m   |        |        | L = 31m   |        | 5m         |        | 6m         |        | 10m       |        | L = 27m |        |
| SPADEK        |  | 10‰       |        |        | i = 10‰   |        |            |        |            |        | 5‰        |        | i = 5‰  |        |
| MATERIAŁ      |  | PVC φ 200 |        |        | PVC φ 200 |        | φ160       |        | φ160       |        | PVC φ 200 |        |         |        |
| OZNACZENIA    |  | P3 S1P3   |        | S2P3   | S3P3      | S1     | S1/PD5 PD5 |        | S1/PD6 PD6 |        | SR        | S1     | S2      |        |